



M S D S
MATERIAL SAFETY DATA SHEET
 SECTION I - MATERIAL IDENTIFICATION

#315 Cold Pour Crack Filler

Manufacturer's Name: GoldStar Asphalt Products	Emergency Telephone No: (951) 940-1610 (951) 830-0385 Cell
Address: 1354 Jet Way * Perris, CA 92572	
Chemical Name: Asphalt Emulsion SS-1H	Trade/Product Name: GoldCoat # 315 Cold Pour Crack Filler
Chemical Family: Petroleum Asphalt	Formula: Asphalt and Water

SECTION II - PHYSICAL DATA

Appearance, Color, Odor: Brown Liquid			
Boiling Point (F):	212	Melting Point:	N/A
Specific Gravity (H ₂ O = 1):	1.01	Vapor Pressure (mm Hg):	60
Evaporation Rate (= 1):	N/A	% Volatile By Volume (%):	50%
Vapor Density (AIR = 1):	N/A	Solubility in Water:	Yes

SECTION III - HAZARDOUS AND REACTIVE DATA~ Percentages available upon request

Hazardous Mixtures of other Liquids, Solids, or Gases	%	TLV Units
Petroleum Asphalt (CAS 8052-42-4)		5
Water		
Acrylic Copolymer		
Filler / Clay		
Crumb Rubber		

Stability (Light, etc.):	Hazardous Polymerization:
Stable: XX / Unstable:	May Occur / Will not Occur: XX
Conditions to Avoid: N/A	Conditions to Avoid: N/A
Incompatibility (Materials to Avoid):	Hazardous Decomposition Products:

SECTION IV - FIRE AND EXPLOSION DATA

Flash Point (Test Method):	N/A	/	Flammable Limits:	N/A
Autoignition Temp:	N/A	/	Explosive Limit: Lower	N/A Upper N/A
Extinguishing Media:	CO2, Dry Chemical, Foam, Water Fog			
Special Fire Fighting Procedures:	Non Flammable in emulsion state			
Unusual Fire Explosion Hazards:	None			

PAGE 2 OF 2**SECTION V - HEALTH HAZARD DATA**

Threshold Limit Value:	None established - Not normally an airborne hazard.
Effects of Acute Overexposure:	Inhalation - Not expected to be acutely toxic by inhalation.
Emergency and First Aid Procedures:	Expected to cause minor eye irritation. Flush with water. Also may cause minor skin irritation. Remove contaminated clothing and wash skin with soap and water. Not expected to be acutely toxic by ingestion. Drink water or milk - seek a physician's advice.

SECTION VI - SPECIAL PROTECTION INFORMATION

Respiratory Protection
Ventilation / Meet TLV, Local exhaust to met TLV
Protective Gloves / Rubber / Eye Protection / Safety Glasses
Other Protective Equipment: Change of Clothes

SECTION VII - SPILL OR LEAK PROCEDURES

Steps To Be Taken If Material is Released or Spilled:	Clean small spills with appropriate techniques such as absorbent materials or pumping. Follow prescribed procedures for reporting releases.
Waste Disposal Method:	Place material in disposable containers and dispose of in a manner consistent with applicable regulations. Contact local environmental or health authorities for approved disposal.

SECTION VIII - SPECIAL PRECAUTIONS

Precautions to be taken in Handling and Storing:	Store away from high temperatures in dry area, keep containers closed.
Other Precautions:	Wash face and hands prior to eating. Keep away from food and tobacco products.